



# etiquetas digitais

*Embracing the digital world*

CATALOGUE

## 2026

Discover our profiles designed to seamlessly integrate with the most advanced ESL technology.

EXCLUSIVE PROGRAM

COMPATIBLE WITH **SOLUM's** NEWTON ESL's



**PRO • CORE • LITE**

## ACCESSORIES





# etiquetas digitais

In this catalogue you will find the most complete range of accessories compatible with the stands and boxes designed for “NEWTON ESL SOLUM”. These accessories allow you to position and mount the labels in various ways, adapting to different types of surfaces, edges, and supports. They include positioning adjustment systems, mounting systems for furniture and containers, as well as suspension and installation systems. If you don't find the accessory you need in this section, please contact us and we will develop a custom solution for you.

## INDEX | ACCESSORIES FOR NEWTON ESL

### PAGE

|    |                                                                                        |
|----|----------------------------------------------------------------------------------------|
| 08 | Inclined support for Solum 6.0 Labels and 7.5 horizontal and vertical position         |
| 10 | Magnetic clip with 2mm neodymium magnet                                                |
| 12 | Hanging clip with wire or cable                                                        |
| 14 | Suction cup clip front position                                                        |
| 16 | Suction cup clip back position                                                         |
| 18 | Hanging hook for rods up to ø 8mm                                                      |
| 18 | Hanging hook for rods up to ø 12mm                                                     |
| 20 | Hanging hook universal OVL model                                                       |
| 20 | Clip label holder for peg-hooks                                                        |
| 21 | Cho model cross hanger hook with three degrees of inclination for rods from ø 3 to 6mm |
| 22 | Support non t-bar peghook                                                              |
| 24 | Boomerang model support bar of 35mm in height                                          |
| 25 | Boomerang model support bar of 55mm in height                                          |
| 26 | Boomerang model support bar of 110mm in height                                         |
| 28 | Support and hooks for hanging Solum 11.6 Labels on overhead rail                       |
| 29 | Connection piece to join two sections of aluminum overhead profile                     |
| 30 | Closing cap for the ends of the aluminum overhead profile                              |
| 31 | Profile for hanging large format labels                                                |
| 32 | Angular connector clip                                                                 |
| 32 | Stand clip to adjust the inclination of the labels                                     |
| 33 | Double connecting rods.                                                                |
| 34 | Base for double connected rods (length: 200mm)                                         |
| 35 | Base with tilting bar and adjustable height                                            |

- 36 Telescopic support with 4 heights 136 to 234mm
- 38 Metal base with fixed bar and adjustable height
- 39 Metal base with telescopic bar
- 40 Base for small format supports with adjustable inclination
- 41 Clip for edge from 1 to 6mm
- 41 Clip for edge from 1 to 12mm
- 42 Edge clip with angle adapter from 1 to 6mm
- 42 Edge clip with angle adapter from 1 to 12mm
- 43 Clip for tubes and rods of ø 5, 10, 15 and 30mm
- 44 Clip for rods and rod hooks from ø 4 to 6mm
- 45 Clip for shelves from 8 to 18mm thick
- 46 Clip for glass shelves from 8 to 10mm thick with anti-slip rubber
- 47 Clip for glass shelf for thickness of 5-10mm
- 48 Clip for wooden shelf for thickness of 16-9mm
- 49 Clips for shelves from 8 to 18mm width
- 50 Universal clip for shelves 5 to 30mm thick
- 50 Clip for glass shelf for thickness of 4-6mm
- 51 Universal clip to place promotional supplements
- 51 2-Position connector with strong grip adhesive
- 52 1-Position connector with foamed adhesive
- 52 Electronic label remover tool
- 53 Hanging hook with 9mm connector
- 54 Hanging hook for pipes up to ø 20mm with 9mm connector
- 55 Swing clip for tegometall shelves with 9mm connector
- 56 Deli labelholder with ring Ø30.5 - Ø60 - ø80mm
- 57 Ice pick dovetail (26mm) 200mm height
- 57 Rotating ice spike 200mm height
- 57 Ice skewer 150mm height
- 58 Ice pick for dovetail (9mm) 200mm height
- 59 Double joint gripper
- 59 Mini clip with rotating pin
- 60 Omniclipper® model gripper
- 61 Unniclipper® model gripper with rotating and adjustable rod
- 62 Unniclipper® model gripper with rotating and adjustable tube with device for supports with inserts
- 63 Gripper for boxes and baskets up to 15mm thick with rotating and adjustable rod
- 64 Gripper for boxes and baskets up to 15mm thick with device for supports with inserts
- 65 Telescopic tube with extendable bar from 1000 to 1900 mm
- 66 Telescopic tube with extendable bar and device for inserts
- 66 Metal bases for telescopic tube
- 67 Stand with a metal base of D:85 mm and a height of 130 mm.
- 68 Telescopic stand with extendable bar and magnetic base
- 69 Universal grip stand with clip
- 70 Promo system
- 73 Our projects

# ACCESSORIES

FOR "NEWTON ESL SOLUM"

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM's NEWTON ESL's**

**SOLUM**  
Solution provider.



NEWTON



NEWTON PRO



NEWTON CORE



NEWTON LITE



NEWTON INDUSTRIAL




INCLINED SUPPORT FOR 6.0”  
AND 7.5” SOLUM ESL

| CODE         | LABELS (in) | COLOR         | MATERIAL |
|--------------|-------------|---------------|----------|
| OVA-01800-00 | 6.0 / 7.5   | Transparent   | PC       |
| OVA-01802-08 | 6.0 / 7.5   | Grey Ral 7012 | ABS      |


Box units: 25 supports.  
Minimum order: 1 box.

OVA- 01800-00 APLICATION

6.0”




7.5”




**OVA-01802-08** APLICATION

6.0"



7.5"







MAGNETIC CLIP WITH  
2mm NEODYMIUM MAGNET

| CODE         | LABELS (in)                            | COLOR         | MATERIAL |
|--------------|----------------------------------------|---------------|----------|
| OVA-01850-00 | Attachable to all<br>program supports. | Transparent   | PC       |
| OVA-01850-08 |                                        | GREY RAL 7012 | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-01850-00 APLICATION


1.6"



2.2"



2.6"




2.7"




2,9"



2.9" Metro / Makro labels



4.2" (reduced size support)



**OVA-01850-00**

APPLICATION

4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)




6.0" (standard size support)



7.5" (standard size support)







HANGING CLIP WITH WIRE  
OR CABLE FOR ESL SOLUM

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01860-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-01860-00 APPLICATION

1.6"



2.2"




2.6"




2.7"




2,9"



2.9" Metro / Makro labels




4.2" (reduced size support)




**OVA-01850-00** APPLICATION


4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)




6.0" (standard size support)



7.5" (standard size support)





SUCTION CUP CLIP  
FRONT POSITION

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01870-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-01870-00 APPLICATION

1.6"



2.2"



2.6"





2.7"




2,9"



2.9" Metro / Makro labels



4.2" (reduced size support)



**OVA-01870-00** APPLICATION

4.2"




4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)



6.0" (standard size support)



7.5" (standard size support)






SUCTION CUP CLIP  
BACK POSITION

| CODE          | LABELS (in)                         | COLOR       | MATERIAL |
|---------------|-------------------------------------|-------------|----------|
| OVA- 01880-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-01880-00 APLICATION




**OVA-01880-00** APPLICATION

4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)



6.0" (standard size support)



7.5" (standard size support)





## HANGING HOOK FOR Ø 8mm RODS



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01890-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-01896-05 |                                     | Black       | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

## HANGING HOOK FOR Ø 12mm RODS



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01900-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-01996-05 |                                     | Black       | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-01890-00 / OVA-01896-00 / OVA-01900-00 / OVA-01996-05**

**APPLICATION**

1.6"



2.2"



2.6"




2.7"



2.9"




2.9" Metro / Makro labels



**OVA-01890-00 / OVA-01896-00 / OVA-01900-00 / OVA-01996-05** APPLICATION


4.2" (reduced size support)



4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)



6.0" (standard size support)



7.5" (standard size support)




## HANGING HOOK UNIVERSAL OVL MODEL




| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02000-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

### OVA-02000-00 APPLICATION




## CLIP LABEL HOLDER FOR PEG-HOOKS




| CODE        | LABELS (in)           | LENGTH (mm) | COLOR       | MATERIAL |
|-------------|-----------------------|-------------|-------------|----------|
| PBS99061136 | 1.6                   | 36          | Transparent | PVC      |
| PBS99061146 | 2.2 / 2.6 / 2.7 / 2.9 | 46          | Transparent | PVC      |

**Box units:** 100  
**Minimum order:** 1 box.

### PBS99061136 APPLICATION



### PBS99061146 APPLICATION




## CHO MODEL CROSS HANGER HOOK WITH THREE DEGREES OF INCLINATION FOR RODS FROM Ø 3 TO 6mm



| CODE         | LABELS (in)    | COLOR       | MATERIAL |
|--------------|----------------|-------------|----------|
| OVA-02010-00 | Small & Medium | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

### OVA-02010-00 APPLICATION



T-Hook Attachment Fits Short Top, Axial, or Bottom Rod Hooks Rod.



Short top rod



Short axial rod



Short bottom rod



It allows you to adjust the inclination according to the height at which the label is placed so that it is always facing the customer.



**REAR tilt**  
for labels placed in levels of high exposure



**NO INCLINATION**  
for labels located at eye level



**FRONT tilt**  
for labels placed in levels of low exposure

SUPPORT NON T-BAR PEGHOOK

| CODE         | LABELS<br>(in) | LENGTH<br>(mm) | COLOR       | MATERIAL |
|--------------|----------------|----------------|-------------|----------|
| OVA-02026-00 |                | 150            | Transparent | PC       |
| OVA-02027-00 | 1.6 / 2.2 /    | 200            | Transparent | PC       |
| OVA-02028-00 | 2.6 / 2.7 /    | 250            | Transparent | PC       |
| OVA-02029-00 | 2.9            | 300            | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.

COMING  
SOON  
subject to demand  
evaluation

OVA-02026-00 APLICATION






OVA-02027-00 APLICATION







OVA-02028-00 APLICATION





OVA-02029-00 APLICATION









### Placing the support on the simple hook



### Placing the support on the double hook





## BOOMERANG MODEL SUPPORT BAR OF 35mm IN HEIGHT



| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02030-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |
| OVA-02036-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

### OVA-02030-00 APPLICATION



### OVA-02036-05 APPLICATION





## BOOMERANG MODEL SUPPORT BAR OF 55mm IN HEIGHT



| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02040-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |
| OVA-02046-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Black       | Acetal   |

**Box units:** 25

**Minimum order:** 1 box.

### OVA-02040-00 APPLICATION



### OVA-02046-05 APPLICATION



## BOOMERANG MODEL SUPPORT BAR OF 110mm IN HEIGHT



| CODE         | LABELS (in)                       | COLOR       | MATERIAL |
|--------------|-----------------------------------|-------------|----------|
| OVA-02050-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Transparent | PC       |
| OVA-02050-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

### OVA-02050-00 APPLICATION



### OVA-02056-05 APPLICATION





## SUPPORT AND HOOKS FOR HANGING SOLUM 11.6 LABELS ON OVERHEAD RAIL



| CODE          | LABELS (in) | COLOR       | MATERIAL |
|---------------|-------------|-------------|----------|
| OVA-02062-08  | 1.6         | Grey 7012   | ABS      |
| OVA-02070-00  | 1.6         | Transparent | PC       |
| OVA-02080-00* | 1.6         | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

\*Available soon

### OVA-02062-08

APLICACION



**Box units:** 5  
**Minimum order:** 1 box.

### OVA-02070-00

APLICACION



**Box units:** 50  
**Minimum order:** 1 box.

### OVA-02080-00

APLICACION



**Box units:** 50  
**Minimum order:** 1 box.




## CONNECTION PIECE TO JOIN TWO SECTIONS OF ALUMINUM OVERHEAD PROFILE



| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02106-05 | Black | ABS      |

**Box units:** 4  
**Minimum order:** 1 box.


## CLOSING CAP FOR THE ENDS OF THE ALUMINUM OVERHEAD PROFILE




| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02110-05 | Black | ABS      |

**Box units:** 2  
**Minimum order:** 1 box.

### OVA-02080-00 APPLICATION





## PROFILE FOR HANGING LARGE FORMAT LABELS

| CODE     | COLOR           | LENGTH (mm) | MATERIAL |
|----------|-----------------|-------------|----------|
| PEE-1901 | White           | 2000        | Aluminum |
| PEE-1902 | Red Ral 3028    |             |          |
| PEE-1903 | Blue Ral 5005   |             |          |
| PEE-1904 | Green Ral 6024  |             |          |
| PEE-1905 | Black           |             |          |
| PEE-1955 | Anodized Silver |             |          |
| PEE-1966 | Light Oak       |             |          |
| PEE-1967 | Dark Oak        |             |          |

We can manufacture the profiles in other anodized finishes and colors.

**Box units: 20**  
**Minimum order: 1 box.**







CLOSING CAPS FOR OVERHEAD RAIL  
02116-08

PROFILE SECTION

CONNECTION CAPS BETWEEN OVERHEAD RAIL  
02106-08

PROFILE SECTION

CLOSING CAPS  
FOR OVERHEAD RAIL  
02116-08

TWO-SIDED HOOK FOR HANGING 11.6" LABELS  
02080-00

ONE-SIDED HOOK FOR HANGING 11.6" LABELS  
0270-00



## ANGULAR CONNECTOR CLIP

It provides different angles of inclination on accessories that require the use of this connector. Essential for the stand clip, double connecting rods, omniclipper® clamps, uniclipper® clippers and clippers for boxes and baskets.

| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02300-01 | White | Acetal   |
| OVA-02300-05 | Black | Acetal   |

**Box units:** 50  
**Minimum order:** 1 box.

## STAND CLIP TO ADJUST THE INCLINATION OF THE LABELS

Angular connector needed (not included)

| CODE         | LABELS (in)                       | COLOR | MATERIAL |
|--------------|-----------------------------------|-------|----------|
| OVA-02305-01 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | White | Acetal   |
| OVA-02305-05 |                                   | Black | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02305-01 APPLICATION



### OVA-02305-05 APPLICATION





## DOUBLE CONNECTION RODS


They allow the supports and accessories that require the use of these rods to be displayed at different heights.

Must-have for adding standard size supports to esl newton 6.0 And 7.5 Supports, rod bases, omnclipper® clamps, and clamps for boxes and baskets.

| TRANSPARENT  | WHITE        | BLACK        | LENGTH (mm) |
|--------------|--------------|--------------|-------------|
| OVA-02310-00 | OVA-02310-01 | OVA-02310-05 | 10          |
| OVA-02315-00 | OVA-02315-01 | OVA-02315-05 | 35          |
| OVA-02320-00 | OVA-02320-01 | OVA-02320-05 | 60          |
| OVA-02325-00 | OVA-02325-01 | OVA-02325-05 | 120         |
| OVA-02330-00 | OVA-02330-01 | OVA-02330-05 | 170         |

Box units: 20  
Minimum order: 1 box.

### OVA-02325-01 APPLICATION



### OVA-02325-05 APPLICATION





BASE FOR DOUBLE  
CONNECTION RODS

RODS NOT INCLUDED

| CODE         | LABELS (in)                            | COLOR       | MATERIAL |
|--------------|----------------------------------------|-------------|----------|
| OVA-02600-00 | Attachable to all<br>program supports. | Transparent | PC       |
| OVA-02600-05 |                                        | Black       | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-02600-00 / OVA-02600-05 APLICATION






## BASE WITH TILTING BAR AND ADJUSTABLE HEIGHT (LENGTH: 200mm)

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02605-00 | Attachable to all program supports. | Black | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02605-00 APPLICATION






TELESCOPIC SUPPORT  
WITH 4 HEIGHTS 136 TO 234mm  
WITH CLIP TO PLACE PROMOTIONAL SUPPLEMENTS


| CODE         | LABELS (in)                       | COLOR       | MATERIAL |
|--------------|-----------------------------------|-------------|----------|
| OVA-02607-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Transparent | PC       |
| OVA-02607-05 |                                   | Black       | PC       |

Box units: 20  
Minimum order: 1 box.



OVA-02607-00 APPLICATION



**OVA-02607-05** APPLICATION

Labelable surface  
60x37mm  
**Use white liquid chalk pen**





## METAL BASE WITH FIXED BAR AND ADJUSTABLE HEIGHT

Special for hot surfaces

| METAL COLOR  | COLOR BLACK  | LABELS (in)                                          | BAR HEIGHT (mm) |
|--------------|--------------|------------------------------------------------------|-----------------|
| OVA-02610-20 | OVA-02610-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 /<br>2.9 Metro / Makro   | 100             |
| OVA-02615-20 | OVA-02615-05 | 4.2 / 4.3 / 4.3 industrial<br>6.0 / 7.5 reduced size | 185             |

**Box units:** 20

**Minimum order:** 1 box.

### OVA-02610-20 / OVA-02610-05 APPLICATION



### OVA-02615-20 / OVA-02615-05 APPLICATION



METAL BASE  
WITH TELESCOPIC BAR



| CODE         | LABELS (in)                                          | COLOR | BAR HEIGHT (mm) |
|--------------|------------------------------------------------------|-------|-----------------|
| OVA-02620-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9<br>/ 2.9 Metro / Makro   | Black | 150 < 250       |
| OVA-02625-05 | 4.2 / 4.3 / 4.3 industrial<br>6.0 / 7.5 reduced size |       | 250 < 400       |

Box units: 20  
Minimum order: 1 box.

OVA-02620-05 APLICATION



OVA-02625-05 APLICATION






BASE FOR SMALL FORMAT SUPPORTS WITH  
ADJUSTABLE INCLINATION

| CODE         | COLOR       | LABELS (in)                                   | MATERIAL                               |
|--------------|-------------|-----------------------------------------------|----------------------------------------|
| OVA-02631-00 | Transparent | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 2.9 Metro-Makro | PC                                     |
|              |             |                                               | Box units: 20<br>Minimum order: 1 box. |

OVA-02631-00 APLICATION








## CLIP FOR EDGE FROM 1 TO 6mm

| CODE         | LABELS (in)                                         | COLOR | MATERIAL |
|--------------|-----------------------------------------------------|-------|----------|
| OVA-02340-01 | Can be attached to all the supports of the program. | White | Acetal   |
| OVA-02340-05 |                                                     | Black | Acetal   |

Box units: 100

Minimum order: 1 box.



## CLIP FOR EDGE FROM 1 TO 12mm


| CODE         | LABELS (in)                                         | COLOR | MATERIAL |
|--------------|-----------------------------------------------------|-------|----------|
| OVA-02345-01 | Can be attached to all the supports of the program. | White | Acetal   |
| OVA-02345-05 |                                                     | Black | Acetal   |

Box units: 100

Minimum order: 1 box.

OVA-02340-01 / OVA-02340-05 / OVA-02345-01 / OVA-02345-05

APPLICATION





## EDGE CLIP WITH ANGLE ADAPTER FROM 1 TO 6mm

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02350-01 | Attachable to all program supports. | White | Acetal   |
| OVA-02350-05 |                                     | Black | Acetal   |

**Box units:** 100  
**Minimum order:** 1 box.



## EDGE CLIP WITH ANGLE ADAPTER FROM 1 TO 12mm


| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02355-01 | Attachable to all program supports. | White | Acetal   |
| OVA-02355-05 |                                     | Black | Acetal   |

**Box units:** 100  
**Minimum order:** 1 box.


### OVA-02350-01 APPLICATION



### OVA-02350-05 APPLICATION



### OVA-02355-01 APPLICATION



### OVA-02355-05 APPLICATION



Rod max. Ø 5mm




Rod max. Ø 10mm



Rod max. Ø 15mm



Rod max. Ø 30mm



# CLIP FOR TUBES AND RODS OF Ø 5, 10, 15 AND 30mm

| WHITE        | BLACK        | Ø MAX.<br>(mm) | LABELS<br>(in)                               | MATERIAL |
|--------------|--------------|----------------|----------------------------------------------|----------|
| OVA-02360-01 | OVA02360-05  | 5              | Attachable<br>to all<br>program<br>supports. | Acetal   |
| OVA-02365-01 | OVA-02365-05 | 10             |                                              | Acetal   |
| OVA-02370-01 | OVA-02370-05 | 15             |                                              | Acetal   |
| OVA-02375-01 | OVA-02375-05 | 30             |                                              | Acetal   |


Box units: 20  
Minimum order: 1 box.

OVA-02360-01

OVA-02360-05

OVA-02365-01

OVA-02365-05



OVA-02370-01

OVA-02370-05

OVA-02375-01

OVA-02375-05








## CLIP FOR RODS AND ROD HOOKS FROM Ø4 TO 6mm WITH 6mm CENTER CUT

| CODE         | LABELS (in)                                         | COLOR       | MATERIAL    |
|--------------|-----------------------------------------------------|-------------|-------------|
| OVA-02380-00 | Can be attached to all the supports of the program. | Transparent | Polystyrene |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02610-20 / OVA-02610-05**

APLICACION





LOWER POSITION



UPPER POSITION




# CLIPS FOR SHELVES FROM 8 TO 18mm WIDTH

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02385-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-02390-00 |                                     | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.


## OVA-02385-00

LOWER POSITION



## OVA-02390-00

UPPER POSITION







CLIP FOR GLASS SHELVES FROM 8 TO 10mm THICKNESS WITH ANTI-SLIP RUBBER


| CODE         | LABELS (in)                         | THICKNESS | COLOR       | MATERIAL |
|--------------|-------------------------------------|-----------|-------------|----------|
| OVA-02395-00 | Attachable to all program supports. | 8         | Transparent | PC       |
| OVA-02397-00 |                                     | 10        | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.

OVA-02395-00 FOR 8mm WIDTH SHELVES



OVA-02397-00 FOR 10mm WIDTH SHELVES








## CLIP FOR GLASS SHELF FOR THICKNESS OF 5-10mm








| CODE         | LABELS (in)       | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-------------------|----------------|-------------|----------|
| OVA-02398-00 | 1.6 / 2.2 / 2.6 / | 5-10           | Transparent | PC       |
| OVA-02398-05 | 2.7 / 2.9         |                | Black       | PC       |

**Box units:** 100  
**Minimum order:** 1 box.


### OVA-02398 APPLICATION



### 4 TILT POSITIONS




CLIP FOR WOODEN SHELF  
FOR THICKNESS OF 16-19mm







| CODE         | LABELS (in)     | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-----------------|----------------|-------------|----------|
| OVA-02399-00 | 1.6 / 2.2 / 2.6 | 16-19          | Transparent | PC       |
| OVA-02399-05 | / 2.7 / 2.9     |                | Black       | PC       |

Box units: 100  
Minimum order: 1 box.


OVA-02399 APPLICATION



PEE1600 profile is placed under the wooden shelf.



4 TILT POSITIONS




## CLIPS FOR SHELVES FROM 8 TO 18mm WIDTH




| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02400-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02400-00 APPLICATION








# UNIVERSAL SWING CLIP FOR SHELVES FROM 5 TO 30mm WIDTH

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02402-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.

## OVA-02402-00 APPLICATION





# CLIP FOR GLASS SHELF FOR THICKNESS OF 4-6mm

| CODE         | LABELS (in)                 | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-----------------------------|----------------|-------------|----------|
| OVA-03020-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | 4-6            | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.



## OVA-03020-00 APPLICATION



Various tilt positions.






## UNIVERSAL CLIP TO PLACE PROMOTIONAL SUPPLEMENTS

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02405-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02405-00 APPLICATION



## TWO POSITION CONNECTOR WITH STRONG GRIP ADHESIVE

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02410-05 | Attachable to all program supports. | Black | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02410-05 APPLICATION





## ONE POSITION CONNECTOR WITH STRONG GRIP ADHESIVE

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02415-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02415-00 APPLICATION



## ELECTRONIC LABEL REMOVER TOOL



| CODE         | LABELS (in)                         | MATERIAL |
|--------------|-------------------------------------|----------|
| OVA-09001-15 | Attachable to all program supports. | ABS      |

**Minimum order:** 1pc.

### OVA-09001-15 APPLICATION

To remove labels from the supports or adapters.

To remove labels from the rails or profiles.







## HANGER HOOK WITH 9mm CONNECTOR

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02420-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

**OVA-02420-00**

APLICACION






HANGING HOOK FOR TUBES UP TO Ø  
20mm WITH 9mm CONNECTOR

| CODE         | LABELS (in)                            | COLOR       | MATERIAL |
|--------------|----------------------------------------|-------------|----------|
| OVA-02425-00 | Attachable to all<br>program supports. | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.

**OVA-02425-00** APPLICATION







## SWING CLIP FOR TEGOMETALL SHELVES WITH 9mm CONNECTOR

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02430-00 | Attachable to all program supports. | White | ABS      |

**Box units:** 20

**Minimum order:** 1 box.

### OVA-02430-00 APPLICATION





## DELI LABELHOLDER WITH RING

Ø30.5 - Ø60 - Ø80mm



| CODE         | LABELS (in)                    | Ø (mm) | COLOR | MATERIAL         |
|--------------|--------------------------------|--------|-------|------------------|
| OVA-02700-01 | 1.6 / 2.2 / 2.6<br>/ 2.7 / 2.9 | 30.5   | White | Polyoxymethylene |
| OVA-02701-01 |                                | 60     | White | Polyoxymethylene |
| OVA-02702-01 |                                | 80     | White | Polyoxymethylene |

**Box units:** 100  
**Minimum order:** 1 box.

### OVA-02700-01

#### APLICATION



1,6"



1.6"

### OVA-02701-01

#### APLICATION



2.2"



### OVA-02702-01

#### APLICATION



2.9"





## ICE PICK DOVETAIL (26mm) 200mm HEIGHT


| CODE         | LABELS (in) | COLOR | MATERIAL |
|--------------|-------------|-------|----------|
| OVE-01754-05 | 4.2 - 6.0   | Black | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

## ROTATING ICE SPIKE 200mm HEIGHT

| CODE         | LABELS (in) | COLOR       | MATERIAL |
|--------------|-------------|-------------|----------|
| OVE-01760-00 | 4.2 - 6.0   | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.




## ICE SKEWER 150mm HEIGHT

| CODE         | LABELS (in) | COLOR       | MATERIAL      |
|--------------|-------------|-------------|---------------|
| OVE-01770-00 | 1.6 - 4.2   | Transparent | Polycarbonate |


**Box units:** 20  
**Minimum order:** 1 box.

**OVE-01770-00** APLICATION

4.2" ESL WITH SUPPORT OVM-01090-00



4.2" ESL WITH SUPPORT OVM-01020-00



**ICE PICK FOR DOVETAIL (9mm)  
200mm HEIGHT**

| CODE         | LABELS (in) | COLOR       | MATERIAL      |
|--------------|-------------|-------------|---------------|
| OVE-01780-00 | 1.6 - 4.2   | Transparent | Polycarbonate |

Box units: 20  
Minimum order: 1 box.

**OVE-01780-00** APLICATION

4.2" ESL WITH SUPPORT OVM-01090-00



4.2" ESL WITH SUPPORT OVM-01020-00





DOUBLE JOINT GRIPPER

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02800-05 | Attachable to all program supports. | Black | PC       |

Box units: 50  
Minimum order: 1 box.

OVA-02800-05 APPLICATION



MINI CLIP WITH ROTATING PIN

| CODE         | LABELS (in) | COLOR       | MATERIAL |
|--------------|-------------|-------------|----------|
| OVA-02802-00 | 1.6 / 2.2   | Transparent | PC       |


Box units: 50  
Minimum order: 1 box.

OVA-02802-00 APPLICATION

1.6"



2.2"



GRIPPER OMNICLIPPER® MODEL




| TRANSPARENT  | BLACK COLOR  | ROD MEASURE (mm) | LABELS (in)                         |
|--------------|--------------|------------------|-------------------------------------|
| OVA-02805-00 | OVA-02805-05 | 35               | Attachable to all program supports. |
| OVA-02810-00 | OVA-02810-05 | 60               |                                     |

Box units: 20  
Minimum order: 1 box.


**OVA-02805-00** With 35mm rod



**OVA-02805-05** With 35mm rod



**OVA-02810-00** With 60mm rod



**OVA-02810-05** With 60mm rod





## UNICLIPPER® MODEL GRIPPER WITH ROTATING AND ADJUSTABLE ROD



| CODE         | LABELS (in)                         | ROD LENGTH (mm) | COLOR       | MATERIAL |
|--------------|-------------------------------------|-----------------|-------------|----------|
| OVA-02815-00 | Attachable to all program supports. | 100             | Transparent | PC       |
| OVA-02820-00 |                                     | 150             | Transparent | PC       |

**Box units: 20**  
**Minimum order: 1 box.**

**02815-00** ROD 100mm

**02820-00** ROD 150mm





UNICLIPPER® MODEL GRIPPER  
WITH ROTATING AND ADJUSTABLE TUBE WITH  
DEVICE FOR SUPPORTS WITH INSERTS

| CODE         | LABELS (in) | TUBE LENGTH (mm) | COLOR       | MATERIAL |
|--------------|-------------|------------------|-------------|----------|
| OAV-02825-00 | 6.0 - 11.6  | 150              | Transparent | PC       |

Box units: 10  
Minimum order: 1 box.

OVA-02825-00 APPLICATION



## GRIPPER FOR BOXES AND BASKETS UP TO 15mm THICK SWIVELING WITH DOUBLE CONNECTION RODS



| CODE         | LABELS (in)                            | ROD LENGTH (mm) | COLOR | MATERIAL |
|--------------|----------------------------------------|-----------------|-------|----------|
| OVA-02830-05 | Attachable to all<br>program supports. | 60              | Black | ABS      |
| OVA-02835-05 |                                        | 120             |       | ABS      |

**Box units: 20**  
**Minimum order: 1 box.**

**OVA-02830-05** ROD 60mm



**OVA-02835-05** ROD 120mm



## GRIPPER FOR BOXES AND BASKETS UP TO 15mm THICK WITH DEVICE FOR SUPPORTS WITH INSERTS



| CODE         | LABELS (in) | TUBE LENGTH (mm) | COLOR | MATERIAL |
|--------------|-------------|------------------|-------|----------|
| OVA-02840-05 | 6.0 - 11.6  | 150              | Black | ABS      |

Box units: 10  
Minimum order: 1 box.

### OVA-02840-05 APPLICATION





OVA-02900-08

OVA-02901-08


## TELESCOPIC TUBE WITH EXTENDABLE BAR from 1000 to 1900 mm

| CODE         | LABELS<br>(in) | HEIGHT MIN./MAX<br>(mm) | COLOR    | MATERIAL |
|--------------|----------------|-------------------------|----------|----------|
| OVA-02900-08 | 11.6           | 1000 / 1900             | Anodized | Aluminum |
| OVA-02901-08 | 6.0 - 11.6     | 1000 / 1900             | Anodized | Aluminum |


**Box units:** 5  
**Minimum order:** 1 box.

### OVA-02900-08 APLICATION

TELESCOPIC TUBE WITH SUPPORT  
OVA-02062-08 FOR SOLUM 11.6" LABELS.



TELESCOPIC TUBE WITH SUPPORT  
OVA-02060-00 AND OVM-01380  
FOR SOLUM 6.0" - 11.6" LABELS.



### OVA-02901-08 APLICATION

TELESCOPIC TUBE WITH SUPPORT OVM-01380  
FOR SOLUM 6.0" - 11.6" LABELS.








## TELESCOPIC TUBE WITH EXTENDABLE BAR AND DEVICE FOR INSERTS

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02905-08 | 6.0 - 11.6  | 300 / 510             | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.



## METAL BASES FOR TELESCOPIC TUBE

| CODE         | DIMENSIONS | COLOR    | MATERIAL |
|--------------|------------|----------|----------|
| OVA-02940-08 | 160x200    | RAL 9006 | Metal    |
| OVA-02945-08 | Ø 240      | RAL 9006 | Metal    |

**Box units:** 10  
**Minimum order:** 1 box.

### OVA-02905-08 APPLICATION

TUBE 02905-08 WITH BASE 02640-08



TUBE 02905-08 WITH BASE 02645-08





## STAND WITH A METAL BASE OF D:85 mm AND A HEIGHT OF 130 mm.

| CODE         | LABELS (in) | HEIGHT MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|------------------|----------|----------|
| OVA-02918-08 | 6.0 - 11.6  | 130              | Anodized | Aluminum |

**Box units:** 5

**Minimum order:** 1 box.


### OVA-02918-08 APPLICATION

Application with OVM-01380 support in vertical direction for ESL 7.5"



Application with OVM-01380 support in horizontal direction for ESL 7.5"





## TELESCOPIC STAND WITH EXTENDABLE BAR AND MAGNETIC BASE

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02920-08 | 6.0 - 11.6  | 200 / 300             | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.

### OVA-02920-08 APPLICATION

Application with OVM-01380 support in vertical direction for ESL 7.5"



Application with OVM-01380 support in horizontal direction for ESL 7.5"






## UNIVERSAL GRIP STAND WITH CLIP

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02915-08 | 6.0 - 11.6  | 250 / 500             | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.

### **OVA-02915-08** APLICATION

7.5" WITH SUPPORT OVA-01380



# PROMO SYSTEM

Custom-made according to your needs.




## UNIVERSAL CLIP TO PLACE PROMOTIONAL SUPPLEMENTS

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02405-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.


**OVA-02405-00**

APPLICATION IN ALL SIZE SUPPORTS





## PERPENDICULAR STOPPER HOLDER CLAMP




| CODE         | COLOR       | MATERIAL |
|--------------|-------------|----------|
| OVA-03010-00 | TRANSPARENT | PC       |

**Order quantity:** Box of 100 pcs

Applicable on all profiles except  
METRO / MAKRO series.

## OVA-03010-00 APPLICATION



## FRONT STOPPER HOLDER CLAMP

| CODE         | COLOR   | MATERIAL |
|--------------|---------|----------|
| OVA-03015-00 | TRANSP. | PC       |

**Order quantity:** Box of 100 pcs

Applicable on all profiles except  
METRO / MAKRO series.

## OVA-03015-00 APPLICATION



## Newton

Discover the newest and best version  
of the Electronic Shelf labels.

## Newton Pro

Next-Generation Shelf Labeling Solution.

## Newton CORE

Cost-Efficient Solution for Digitalized Retail.

## Newton LITE

Small and simple, yet powerful as Newton.

## Newton Industrial

Large-Scale Automation Made Easy.






# OUR PROJECTS





# OUR PROJECTS





*Embracing the digital world*

## COMPLETE SOLUTIONS FOR ESL

*Profiles, holders, and accessories designed for everything your business needs.*

## CUSTOMIZATION TAILORED TO YOU

*We create customized promotional supplements in the size, shape, color, and design your business needs.*

**Highlight** your promotions and attract  
**customers** with unique solutions.



# etiquetas digitais



# SMARTDIGIT

Distribuidor em Portugal

**SOLUM**

Solution provider.

**SmartDigit, Lda**  
**Rua Marcelino Mesquita 9, loja 4**  
**2795 – 134 Linda a Velha, Portugal**  
**+351 211 165 222**  
**[info@smartdigit.pt](mailto:info@smartdigit.pt)**